

Structure of zearalenone

Product information

Antibody name: anti-zearalenone (IgG)

Product number: Z02F-1

Quantity: 0.5 mg (lyophilised)

Clonality/purity: polyclonal affinity purified on Protein A

IgGs

Host: rabbit

Immunogen: zearalenone conjugated with BSA;

coupling method - derivatisation of OH-groups using

succinate

Applications: ELISA. Optimal dilutions are dependent on conditions and should be

determined by the user. Other applications not tested.

Specificity: reacts with zearalenone from *Fusarium* species

Storage buffer: purified IgGs were dialysed against bidest. water and lyophilised

Storage: after dilution store at +4 °C

Description: Zearalenone (ZEA), also known as RAL and F-2 mycotoxin, is a potent

estrogenic metabolite produced by some *Fusarium* species. Several *Fusarium* species produce toxic substances of considerable concern to livestock and poultry producers: namely, deoxynivalenol, T-2 toxin, HT-2 toxin, diacetoxyscirpenol (DAS) and zearalenone. Zearalenone is the primary toxin causing infertility, abortion or other breeding problems, especially in swine. Zearalenone is heat-stable and is found worldwide in a number of cereal crops, such as maize, barley, oats, wheat, rice, and

sorghum and also in bread.

Related products: The antibodies are available in the form of ELISA-tests and immunosticks

for rapid sample preparation. Please, contact us for information on these

products.